






## RS Classic

### Center Caps



### RS Classic Nuts

			
09.24.001	09.24.002	09.24.003	09.24.004 
			

### Description:

09.24.001:	30mm High with a small diameter at the back (58mm)
09.24.002:	20mm High with a small diameter at the back (58mm)
09.24.003:	30mm High with a large diameter at the back (72mm)
09.24.004:	20mm High with a large diameter at the back (72mm)

### RS Classic Center Logos

			
09.23.221 Gold		09.23.221 Silver	

### Description:

09.23.221 G	BBS Logo, Front in Gold
09.23.221 S	BBS Logo, Front in Silver

**Center Assembly 09.32.001**



Center Assembly 09.32.001 consists of:	
Logo:	09.23.221 Gold or Silver
Nut:	09.24.001
Plate:	09.24.038 Gold, Platinum or Silver
Ring:	09.24.035 (58mm)

**Center Assembly 09.32.002**



Center Assembly 09.32.002 consists of:	
Logo:	09.23.221 Gold or Silver
Nut:	09.24.002
Plate:	09.24.038 Gold, Platinum or Silver
Ring:	09.24.035 (58mm)

**Applications for Center Assembly 09.32.001 and 09.23.002**

Application:	RS 001	RS 002	RS 003	RS 004	RS 010	RS 016	RS 031	RS 032
	RS 036	RS 038	RS 041	RS 042	RS 043	RS 047	RS 067	RS 068
	RS 069	RS 070	RS 071	RS 072	RS 073	RS 074	RS 093	RS 096
	RS 099	RS 100	RS 101	RS 114	RS 116	RS 117	RS 118	RS 121
	RS 122	RS 127	RS 128	RS 129	RS 134	RS 136	RS 138	RS 139
	RS 140	RS 143	RS 152	RS 159	RS 164	RS 165	RS 166	RS 172
	RS 175	RS 181	RS 182	RS 183	RS 185	RS 186	RS 187	RS 188
	RS 189	RS 192	RS 193	RS 194	RS 202	RS 227	RS 237	RS 248
	RS 259	RS 278	RS 319					

**Center Assembly 09.32.003**



Center Assembly 09.32.003 consists of:	
Logo:	09.23.221 Gold or Silver
Nut:	09.24.003
Plate:	09.24.028 Gold, Platinum or Silver
Ring:	09.24.014

**Center Assembly 09.32.004**



Center Assembly 09.32.004 consists of:	
Logo:	09.23.221 Gold or Silver
Nut:	09.24.004
Plate:	09.24.028 Gold, Platinum or Silver
Ring:	09.24.014

Application:	RS 005	RS 006	RS 008	RS 009	RS 011	RS 012	RS 013	RS 017
	RS 018	RS 020	RS 021	RS 022	RS 023	RS 024	RS 025	RS 026
	RS 027	RS 028	RS 029	RS 035	RS 037	RS 055	RS 056	RS 057
	RS 058	RS 059	RS 060	RS 061	RS 062	RS 063	RS 066	RS 075
	RS 076	RS 077	RS 078	RS 079	RS 090	RS 094	RS 095	RS 098
	RS 103	RS 104	RS 107	RS 111	RS 112	RS 113	RS 123	RS 124
	RS 125	RS 131	RS 132	RS 133	RS 135	RS 137	RS 141	RS 142
	RS 145	RS 146	RS 157	RS 158	RS 167	RS 173	RS 177	RS 178
	RS 190	RS 191	RS 195	RS 196	RS 197	RS 198	RS 199	RS 200
	RS 201	RS 208	RS 210	RS 211	RS 212	RS 215	RS 216	RS 217
	RS 220	RS 221	RS 223	RS 225	RS 226	RS 228	RS 234	RS 235
	RS 236	RS 239	RS 245	RS 246	RS 250	RS 251	RS 252	RS 254
	RS 255	RS 256	RS 257	RS 258	RS 260	RS 262	RS 263	RS 264
	RS 265	RS 270	RS 271	RS 272	RS 276	RS 277	RS 281	RS 282
	RS 285	RS 286	RS 289	RS 290	RS 293	RS 294	RS 295	RS 296
	RS 302	RS 306	RS 307	RS 313	RS 316	RS 320	RS 321	RS 322
	RS 323	RS 327	RS 331	RS 343	RS 344	RS 358		

**Center Assembly 09.32.007**



Center Assembly 09.32.007 consists of:	
Logo:	09.23.221 Gold or Silver
Nut:	09.24.003
Plate:	09.24.069 Gold, Platinum or Silver
Ring:	09.24.014

**Center Assembly 09.32.008**



Center Assembly 09.32.008 consists of:	
Logo:	09.23.221 Gold or Silver
Nut:	09.24.004
Plate:	09.24.069 Gold, Platinum or Silver
Ring:	09.24.014

Application:	RS 064	RS 065	RS 080	RS 081	RS 082	RS 083	RS 084	RS 085
	RS 088	RS 089	RS 091	RS 092	RS 102	RS 105	RS 106	RS 120
	RS 126	RS 130	RS 144	RS 147	RS 148	RS 149	RS 153	RS 154
	RS 155	RS 161	RS 162	RS 163	RS 168	RS 169	RS 170	RS 171
	RS 179	RS 184	RS 203	RS 204	RS 205	RS 206	RS 207	RS 209
	RS 214	RS 222	RS 238	RS 297	RS 298	RS 305		





**09.32.168 (Big Hole for RS II)**



Consists of (from left to right):

1 Logo:	09.24.410
1 Nut:	09.24.386
1 Plate:	09.24.376
1 Ring:	09.24.014

Application:	RS 696	RS 701	RS 706	RS 711	RS 717
	RS 697	RS 702	RS 707	RS 712	RS 718
	RS 698	RS 703	RS 708	RS 713	RS 719
	RS 699	RS 704	RS 709	RS 714	
	RS 700	RS 705	RS 710	RS 716	


**09.32.177 (Small Hole for RS II)**



Consists of (from left to right):

1 Logo:	09.24.410
1 Nut:	09.24.439
1 Plate:	09.24.438
1 Ring:	09.24.035


Application:	RS 715
	RS 769



**09.32.189 (Big Hole for DSK Finish)**



Consists of (from left to right):


1 Logo:	09.24.410	
1 Nut:	09.24.386	
1 Plate:	09.23.544	
1 Ring:	09.24.014	

Application:	RC 300	RC 305	RC 330
	RC 301	RC 306	RC 331
	RC 302	RC 307	RC 332
	RC 303	RC 308	
	RC 304	RC 325	


**09.32.194 (Small Hole for DSK Finish)**



Consists of (from left to right):

1 Logo:	09.24.410	
1 Nut:	09.24.439	
1 Plate:	09.23.545	
1 Ring:	09.24.035	

Application:	RC 321
	RC 322
	RC 323
	RC 324
	RC 333



**09.32.188 (Big Hole for Motorsport Edition)**



Consists of (from left to right):

1 Logo:	09.24.410
1 Nut:	09.24.386
1 Plate:	09.23.516
1 Ring:	09.24.014

Application:	RC 300	RC 305
	RC 301	RC 306
	RC 302	RC 307
	RC 303	RC 308
	RC 304	

**09.32.192 (Small Hole for Motorsport Edition)**




Consists of (from left to right):

1 Logo:	09.24.410
1 Nut:	09.24.439
1 Plate:	09.23.521
1 Ring:	09.24.035

Application:	RC 321
	RC 322
	RC 323
	RC 324





**09.32.178 (Big Hole for POK Finish)**



Consists of (from left to right):

1 Logo:	09.24.410
1 Nut:	09.24.386
1 Plate:	09.23.503
1 Ring:	09.24.014

Application:	RC 300	RC 306
	RC 301	RC 307
	RC 302	RC 308
	RC 304	RC 331
	RC 305	

**09.32.191 (Small Hole for POK Finish)**



Consists of (from left to right):

1 Logo:	09.24.410
1 Nut:	09.24.439
1 Plate:	09.23.520
1 Ring:	09.24.035

Application:	RC 321
	RC 322
	RC 323
	RC 324






**Center Assembly 09.32.005 Gold**



Part#:	09.32.005 Gold			
Description:	RZ Center Assembly, GPK			
Application:	RZ 411	RZ 439	RZ 457	RZ 474

**Center Assembly 09.32.005 Silver**




Part#:	09.32.005 Silver 			
Description:	RZ Center Assembly, GPK			
Application:	RZ 411	RZ 439	RZ 457	RZ 474

**Center Assembly 09.32.024 Gold**



Part#:	09.32.024 Gold			
Description:	BBS RZ Center, Gold			
Application:	RZ 437			

**Center Assembly 09.32.024 Silver**



Part#:	09.32.024 Silver			
Description:	BBS RZ Center, Silver			
Application:	RZ 437			



**Center Assembly 09.32.026 Gold**



Part#:	09.32.026 Gold				
Description:	BBS RG Center, 15" Gold				
Application:	RG 003	RG 011	RG 015	RG 024	RG 076
	RG 077	RG 092	RG 992		

**Center Assembly 09.32.026 Platinum**



Part#:	09.32.026 Platinum				
Description:	BBS RG Center, 15" Platinum				
Application:	RG 003	RG 011	RG 015	RG 024	RG 076
	RG 077	RG 092	RG 992		

**Center Assembly 09.32.026 Silver**



Part#:	09.32.026 Silver				
Description:	BBS RG Center, 15" Silver				
Application:	RG 003	RG 011	RG 015	RG 024	RG 076
	RG 077	RG 092	RG 992		

**Center Assembly 09.32.028 Gold**



Part#:	09.32.028 Gold				
Description:	BBS RG / RZ Center Assembly, GPK				
Application:	RG 004	RG 005	RG 006	RG 007	RG 008
	RG 009	RG 010	RG 023	RG 026	RG 080M
	RG 099	RG 999			
	RZ 406	RZ 408	RZ 412	RZ 413	RZ 418
	RZ 425	RZ 425 M	RZ 426	RZ 427	RZ 428
	RZ 436	RZ 438	RZ 440	RZ 441	RZ 448
	RZ 475	RZ 506			



**Center Assembly 09.32.028 Black**



Part#:	09.32.028 Black				
Description:	BBS RG / RZ Center Assembly, GPK				
Application:	RG 004	RG 005	RG 006	RG 007	RG 008
	RG 009	RG 010	RG 023	RG 026	RG 080M
	RG 099	RG 999			
	RZ 406	RZ 408	RZ 412	RZ 413	RZ 418
	RZ 425	RZ 425 M	RZ 426	RZ 427	RZ 428
	RZ 436	RZ 438	RZ 440	RZ 441	RZ 448
	RZ 475	RZ 506			

**Center Assembly 09.32.054**



Part#:	09.32.054				
Description:	RD Center Assembly, APK				
Application:	RD 001	RD 002	RD 003	RD 004	RD 006
	RD 007	RD 008	RD 011	RD 012	RD 014
	RD 015	RD 019	RD 020	RD 022	RD 024
	RD 027	RD 028	RD 032	RD 035	RD 036
	RD 037	RD 039	RD 040	RD 043	RD 044
	RD 054	RD 055			

**Center Assembly 09.32.095**



Part#:	09.32.095			
Description:	RM/RJ Center, APK			
Application:	RM 001	RM 002	RM 006	

**Center Assembly 09.32.112**




Part#:	09.32.112			
Description:	RD 038 Center Assembly			
Application:	RD 038			






**Center Assembly 09.32.121**



Part#:	09.32.121 				
Description:	RF Center Assembly, APK				
Application:	RF 002	RF 003	RF 004	RF 005	RF 006
	RF 007	RF 008	RF 010	RF 011	RF 013
	RF 014				

**Center Assembly 09.32.124**



Part#:	09.32.124 		
Description:	RF Center Assembly, APK		
Application:	RF 001	RF 009	RF 015

**Center Assembly 09.32.141**



Part#:	09.32.141				
Description:	BBS RG Center Assembly				
Application:	RG 108	RG 114	RG 115	RG 116	RG 117
	RG 119				

**Center Assembly 09.32.151 Gold**



Part#:	09.32.151 Gold				
Description:	RZ Center Assembly, Gold				
Application:	RZ 462	RZ 463	RZ 464	RZ 465	RZ 466
	RZ 468	RZ 470	RZ 480	RZ 481	RZ 483
	RZ 484	RZ 485	RZ 497	RZ 501	RZ 502





**Center Assembly 09.32.151 Platinum**



Part#:	09.32.151 Platinum				
Description:	RZ Center Assembly, Platinum				
Application:	RZ 462	RZ 463	RZ 464	RZ 465	RZ 466
	RZ 468	RZ 470	RZ 480	RZ 481	RZ 483
	RZ 484	RZ 485	RZ 497	RZ 501	RZ 502

**Center Assembly 09.32.151 Silver**




Part#:	09.32.151 Silver				
Description:	RZ Center Assembly, Silver				
Application:	RZ 462	RZ 463	RZ 464	RZ 465	RZ 466
	RZ 468	RZ 470	RZ 480	RZ 481	RZ 483
	RZ 484	RZ 485	RZ 497	RZ 501	RZ 502


**Center Assembly 09.32.152 Silver**



Part#:	09.32.152				
Description:	RZ Center Assembly, SPK				
Application:	RZ 487				

**Center Assembly 09.32.153**



Part#:	09.32.153* 				
Description:	BBS RJ Center Assembly				
Application:	RJ 358	RJ 359	RJ 360	RJ 361	RJ 368
	RJ 369	RJ 373	RJ 382	RJ 393	



**Center Cap 09.32.193**



Part#:	09.32.193				
Description:	RV Center Assembly				
Application:	RV 200	RV 201	RV 202	RV 203	RV 204
	RV 205	RV 206	RV 207	RV 208	RV 209
	RV 210	RV 211	RV 212	RV 213	

**Center Cap 09.32.217**



Part#:	09.32.217				
Description:	BBS RZ Center Assembly				
Application:	RZ 514	RZ 515	RZ 516	RZ 517	RZ 518
	RZ 519	RZ 520	RZ 521	RZ 522	RZ 523

Part#:					
Description:					
Application:					



**Center Cap 09.23.002**



Part#:	09.23.002			
Description:	Center Cap, 71mm, Smooth SS			
Application:	RA 257	RA 259	RA 315	RA 345
	RA 902			

**Center Cap 09.23.041**



Part#:	09.23.041				
Description:	Center Cap, 71mm, Stainless				
Application:	RA 239	RA 240	RA 241	RA 242	RA 244
	RA 245	RA 258	RA 287	RA 301	RA 302
	RA 306	RA 349			

**Center Cap 09.23.073**

Sorry,  
no Picture  
available!

Part#:	09.23.073				
Description:	Center Cap, 56mm, Plastic, Silver				
Application:	RA 252	RA 253	RA 254	RA 268	RA 269
	RA 270	RA 283	RA 284	RA 285	RA 288
	RA 289	RA 291	RA 299	RA 316	RA 317
	RA 318	RA 319	RA 344	RA 356	

**Center Cap 09.23.096**



Part#:	09.23.096				
Description:	Center Cap, 74mm, W/Emblem				
Application:	RA 256	RA 260	RA 300	RA 355	RA 900
	RA 901				



**Center Cap 0923221G (Gold)**



Part#:	09.23.221 Gold				
Description:	Center Cap, 71mm, BBS Front in Gold				
Application:	for Applications see 0923221S (below)				

**Center Cap 0923221S (Silver)**



Part#:	09.23.221 Silver				
Description:	Center Cap, 71mm, BBS Front in Silver				
Application:	RN 001	RN 002	RN 003	RN 004	RN 005
	RN 006	RN 007	RN 008	RN 009	RL 005
	RY 011	RY 012	RY 013	RY 014	RY 020
	RY 021	RY 027	RY 028	RY 030	RY 057
	LM 150	LM 151	RX 244	RX 245	

**Center Cap 09.23.436**



Part#:	09.23.436				
Description:	EB Logo, 56mm, Red				
Application:	EB 001	EB 015	EB 016	EB 017	EB 020
	EB 036	EB 044	EB 048	EB 514	EB 515

**Center Cap 09.23.437**

Sorry,  
no Picture  
available!

Part#:	09.23.437				
Description:	EB Logo, 71mm, Red				
Application:	EB 002	EB 003	EB 004	EB 005	EB 006
	EB 009	EB 019	EB 035	EB 037	EB 038
	EB 039	EB 043	EB 047	EB 502	EB 506
	EB 508	EB 509	EB 511	EB 512	EB 516





**Center Cap 09.23.438**



Part#:	09.23.438				
Description:	PA Logo, 56mm, Blue				
Application:	PA 001	PA 015	PA 016	PA 017	PA 018
	PA 036	PA 045	PA 054	PA 514	PA 515

**Center Cap 09.23.439**



Part#:	09.23.439				
Description:	PA Logo, 71mm, Blue				
Application:	PA 002	PA 003	PA 004	PA 005	PA 009
	PA 035	PA 037	PA 038	PA 039	PA 040
	PA 046	PA 048	PA 501	PA 506	PA 508
	PA 509	PA 511	PA 512	PA 516	


**Center Cap 09.23.449**



Part#:	09.23.449				
Description:	EB Logo, 56mm, Silver				
Application:	same as Applications for 09.23.436				

**Center Cap 09.23.450**



Part#:	09.23.450 				
Description:	EB Logo, 71mm, Silver				
Application:	EB 042	EB 513	EB 533		



**Center Cap 09.23.451**



Part#:	09.23.451				
Description:	PA Logo, 56mm, Silver				
Application:	PA 050				

**Center Cap 09.23.452**



Part#:	09.23.452				
Description:	PA Logo, 71mm, Silver				
Application:	PA 533				

**Center Cap 09.24.073**

Sorry,  
no Picture  
available!

Part#:	09.24.073				
Description:	RS Plate, 72mm, Silver				
Application:	LM 177				

**Center Cap 09.24.257**



Part#:	09.24.257				
Description:	Center Cap, 56mm, Black W/				
Application:	RA 332	RA 442	RA 452		
	RL 002	RL 006	RL 007	RL 008	RL 012
	RL 013				
	RN 010	RN 012	RN 014	RN 015	RN 016
	RN 017				
	RY 031				



**Center Cap 09.24.258**



Part#:	09.24.258			
Description:	BBS Logo, 71mm, Black			
Application:	RX 212			

**Center Cap 09.24.281**



Part#:	09.24.281				
Description:	BBS Logo, 56mm, Carbon				
Application:	CH002	CH006	CH014		
	RK 008	RK 012	RK 015	RK 016	RK 024
	RK 026	RK 027	RK 028		
	RX 213	RX 214	RX 215	RX 216	RX 217
	RX 220	RX 221	RX 225	RX 226	RX 228

**Center Cap 09.24.282**



Part#:	09.24.282				
Description:	BBS Logo, 71mm, Carbon				
Application:	RK 001	RK 002	RK 003	RK 004	RK 005
	RK 006	RK 007	RK 009	RK 010	RK 011
	RK 017	RX 201	RX 202	RX 203	RX 204
	RX 206	RX 207	RX 209	RX 210	RX 222
	RX 223	RX 224	RX 230	RX 231	RX 232
	RX 233	RT 102	RT 103		

**Center Cap 09.24.292**



Part#:	09.24.292	
Description:	BBS Logo, RX Carbon Optic, 81mm	
Application:	RX 234	RX 235



**Center Cap 09.24.467**



Part#:	09.24.467				
Description:	BBS Logo, 71mm, Carbon				
Application:	LM 133	LM 134	LM 135	LM 136	LM 141
	LM 142	LM 143			
	CH 003	Ch 004	CH005	CH007	CH009
	CH010	CH 012	CH013	CH015	CH016
	CH017	CH018	RK 013	RK 014	RK 020
	RK 021	RK 022	RK 501	RX 239	RX 242
	RX 243	RX 247	RX 248	RX 249	RX 250

**Center Cap 09.24.471**



Part#:	09.24.471			
Description:	BBS Racetrack Logo, 71mm			
Application:	LM 127	LM 128	LM 154	LM 155



**Center Cap 09.24.474**



Part#:	09.24.474				
Description:	BBS Racetrack Logo, 71mm				
Application:	LM 121	LM 148	LM 161	LM 162	LM 165
	LM 166	LM 171	LM 172	LM 178	LM 179
	LM 180	LM 181			

**Center Cap 09.24.482**



Part#:	09.24.482	
Description:	BBS Racetrack Logo, 56mm	
Application:	LM 145	LM 147





**Center Cap 09.24.486**



Part#:	09.24.486				
Description:	BBS Logo, 71mm, Polished				
Application:	RK 500	RK 502	RK 503	RK 505	RK 506
	RK 507	RK 508	RK 510	RK 511	RM 500
	RW 002	RW 004	RW 005	RW 010	RW 014
	RW 015	RW 500	RW 501	RW 503	RW 504
	RW 505				
	RX 500	RX 501	RX 502	RX 503	RX 506
	RX 507	RX 508	RX 513	RX 514	RX 515
	RX 516	RX 517	RX 518		

**Center Cap 09.24.487**



Part#:	09.24.487				
Description:	BBS Logo, 56mm, Polished				
Application:	RK 504	RK 512	RX 504	RW 502	RW506
	RW 001	RW 003	RW 008	RW 009	

**Center Cap 09.24.494**



Part#:	09.24.494				
Description:	BBS Logo, 70mm, Black				
Application:	RK 020	RK 021			

**Center Cap 56.24.073 Gold**



Part#:	56.24.073 Gold				
Description:	BBS Logo, 71mm, BBS Front in Gold				
Application:	LM 076	LM 077	LM 098	LM 099	LM 100
	LM 114	LM 115	LM 116	LM 117	LM 122
	LM 123				



**Center Cap 56.24.073 Silver**



Part#:	56.24.073 Silver
Description:	BBS Logo, 71mm, BBS Front in Silver
Application:	Same Applications as Logo # 56.24.073 Gold

**Classix Center Cap 09.24.492**



Part#:	09.24.492	
Description:	Classix Logo, 76mm, Black	
Remarks:		

**Classix Center Cap 09.24.493**



Part#:	09.24.493	
Description:	Classix Logo, 76mm, Silver	
Remarks:		

**Delta Center Cap 09.24.510**



Part#:	09.24.510	
Description:	Delta Logo, 71mm, Symbol: Delta	
Application:	RT 144	RT 145

**Center Cap 20092**



Part#:	20092	
Description:	PS Prestige Logo, 56mm	
Application:	RD 127	

**Nardi Center Cap 1701.15.0001**



Part#:	1701.15.0001					
Description:	Nardi Center Assembly					
Application:	ND 101	ND 102	ND 104	ND 105	ND 107	
	ND 109	ND 124	ND 125	ND 127	ND 128	
	ND 129	ND 130	ND 133	ND 134	ND 139	
	ND 140	ND 141	ND 154	ND 155		

**Lug Nut, 60 Seat - Closed End**



Part#:	09.23.004
Hex Size:	19mm
Diameter:	12mm
Pitch:	1.5
mm:	32
Usable Length (mm):	33.02
Usable Length ("):	1.3

**Lug Nut, Hemi Seat - Closed End**



Part#:	09.23.005
Hex Size:	19mm
Diameter:	12mm
Pitch:	1.5
mm:	28
Usable Length (mm):	27.94
Usable Length ("):	1.1

**Lug Nut, 60 Seat - Closed End**



Part#:	09.23.010
Hex Size:	19mm
Diameter:	14mm
Pitch:	1.5
mm:	33
Usable Length (mm):	33.02
Usable Length ("):	1.3

**Lug Bolt, 60 Seat**

Sorry,  
no Picture  
available!

Part#:	09.23.013
Hex Size:	17mm
Diameter:	12mm
Pitch:	1.25
mm:	38
Usable Length (mm):	38.1
Usable Length ("):	1.5



**Lug Bolt, 60 Seat**



Part#:	09.23.014
Hex Size:	17mm
Diameter:	12mm
Pitch:	1.5
mm:	51
Usable Length (mm):	50.8
Usable Length ("):	2

**Lug Bolt, 60 Seat**



Part#:	09.23.014M
Hex Size:	17mm
Diameter:	12mm
Pitch:	1.5
mm:	45
Usable Length (mm):	45.72
Usable Length ("):	1.8

**Lug Bolt, 60 Hemi Seat**



Part#:	09.23.016
Hex Size:	17mm
Diameter:	12mm
Pitch:	1.5
mm:	28
Usable Length (mm):	27.94
Usable Length ("):	1.1

**Lug Nut, 60 Seat w/21mm shank**



Part#:	09.23.022
Hex Size:	17mm
Diameter:	12mm
Pitch:	1.5
mm:	37
Usable Length (mm):	38.1
Usable Length ("):	1.5

**Lug Bolt, 60 Seat**



Part#:	09.23.024
Hex Size:	17mm
Diameter:	12mm
Pitch:	1.5
mm:	34
Usable Length (mm):	33.02
Usable Length ("):	1.3

**Lug Bolt, Hemi Seat**



Part#:	09.23.025
Hex Size:	17mm
Diameter:	12mm
Pitch:	1.5
mm:	39
Usable Length (mm):	38.1
Usable Length ("):	1.5


**Lug Bolt, 60 Seat**



Part#:	09.23.026
Hex Size:	17mm
Diameter:	12mm
Pitch:	1.5
mm:	39
Usable Length (mm):	38.1
Usable Length ("):	1.5

**Lug Nut, Hemi Seat - Closed End**



Part#:	09.23.029 
Hex Size:	19mm
Diameter:	14mm
Pitch:	1.5
mm:	29
Usable Length (mm):	27.94
Usable Length ("):	1.1

**Lug Bolt, Hemi Seat**

Sorry,  
no Picture  
available!

Part#:	09.23.033
Hex Size:	17mm
Diameter:	14mm
Pitch:	1.5
mm:	42
Usable Length (mm):	38.1
Usable Length ("):	1.5

**Lug Nut, 60 Seat w/15mm shank**



Part#:	09.23.035
Hex Size:	17mm
Diameter:	7/16 in
Pitch:	unf 20
mm:	33
Usable Length (mm):	33.02
Usable Length ("):	1.3

**Lug Nut, 60 Seat - Closed End**



Part#:	09.23.036
Hex Size:	19mm
Diameter:	12mm
Pitch:	1.25
mm:	25
Usable Length (mm):	25.4
Usable Length ("):	1

**Lug Bolt, 60 Seat**



Part#:	09.23.037
Hex Size:	17mm
Diameter:	12mm
Pitch:	1.5
mm:	28
Usable Length (mm):	27.94
Usable Length ("):	1.1

**Lug Bolt, 60 Seat**



Part#:	09.23.039
Hex Size:	17mm
Diameter:	12mm
Pitch:	1.5
mm:	44
Usable Length (mm):	43.18
Usable Length ("):	1.7

**Lug Nut, 60 Seat w/17mm shank**



Part#:	09.23.043
Hex Size:	17mm
Diameter:	1/2 in
Pitch:	unf 20
mm:	34
Usable Length (mm):	33.02
Usable Length ("):	1.3

**Lug Bolt, 60 Seat**



Part#:	09.23.044
Hex Size:	19mm
Diameter:	12mm
Pitch:	1.25
mm:	31
Usable Length (mm):	30.48
Usable Length ("):	1.2

**Lug Nut, 60 Seat w/10mm shank**



Part#:	09.23.045
Hex Size:	17mm
Diameter:	1/2 in
Pitch:	unf 20
mm:	30
Usable Length (mm):	30.48
Usable Length ("):	1.2



**Lug Bolt, Hemi Seat**



Part#:	09.23.060
Hex Size:	19mm
Diameter:	14mm
Pitch:	1.5
mm:	26
Usable Length (mm):	25.4
Usable Length ("):	1

**Lug Nut, 60 Seat - Closed end**



Part#:	09.23.092
Hex Size:	19mm
Diameter:	1/2 in
Pitch:	unf 20
mm:	34
Usable Length (mm):	33.02
Usable Length ("):	1.3

**Lug Nut, Hemi Seat - Open End, Black**



Part#:	09.23.100
Hex Size:	19mm
Diameter:	14mm
Pitch:	1.5
mm:	23
Usable Length (mm):	22.86
Usable Length ("):	0.9

**Lug Bolt, Hemi Seat**



Part#:	09.23.102
Hex Size:	17mm
Diameter:	14mm
Pitch:	1.5
mm:	33
Usable Length (mm):	33.02
Usable Length ("):	1.3

**Lug Nut, 60 Seat w/8mm shank - Open End**



Part#:	09.23.107
Hex Size:	21mm
Diameter:	12mm
Pitch:	1.5
mm:	27
Usable Length (mm):	27.94
Usable Length ("):	1.1

**Lug Nut, 60 Seat w/16mm shank**



Part#:	09.23.111
Hex Size:	21mm
Diameter:	12mm
Pitch:	1.5
mm:	44
Usable Length (mm):	43.18
Usable Length ("):	1.7

**Lug Nut, 60 Seat w/16mm shank**



Part#:	09.23.112
Hex Size:	19mm
Diameter:	12mm
Pitch:	1.5
mm:	44
Usable Length (mm):	43.18
Usable Length ("):	1.7

**Lug Nut, 60 Seat - Closed End**



Part#:	09.23.129
Hex Size:	21mm
Diameter:	1/2 in
Pitch:	unf 20
mm:	34
Usable Length (mm):	33.02
Usable Length ("):	1.3

**Lug Nut, 60 Seat w/17mm shank - Closed End**



Part#:	09.23.130
Hex Size:	19mm
Diameter:	12mm
Pitch:	1.25
mm:	32
Usable Length (mm):	33.02
Usable Length ("):	1.3

**Lug Nut, 60 Seat - Closed End**



Part#:	09.23.135
Hex Size:	22mm
Diameter:	1/2 in
Pitch:	unf 20
mm:	40
Usable Length (mm):	40.64
Usable Length ("):	1.6

**Lug Nut, 60 Seat - Closed End**

Sorry,  
no Picture  
available!

Part#:	09.23.187
Hex Size:	22mm
Diameter:	14mm
Pitch:	1.5
mm:	44
Usable Length (mm):	43.94
Usable Length ("):	1.73

**Lug Nut, 60 Seat - Open End**



Part#:	09.23.254
Hex Size:	19mm
Diameter:	12mm
Pitch:	1.5
mm:	21
Usable Length (mm):	20.32
Usable Length ("):	0.8

**Lug Nut, 60 Seat - Closed End**

Sorry,  
no Picture  
available!

Part#:	09.23.416
Hex Size:	19mm
Diameter:	12mm
Pitch:	1.5
mm:	28
Usable Length (mm):	27.94
Usable Length ("):	1.1

**Lug Nut, 60 Seat - Closed End**



Part#:	09.23.417
Hex Size:	21mm
Diameter:	12mm
Pitch:	1.5
mm:	34
Usable Length (mm):	33.02
Usable Length ("):	1.3

**Lug Nut, 60 Seat - Closed End**



Part#:	09.23.418
Hex Size:	21mm
Diameter:	12mm
Pitch:	1.25
mm:	34
Usable Length (mm):	33.02
Usable Length ("):	1.3

**Lug Bolt, 60 Seat**




Part#:	09.23.447
Hex Size:	17mm
Diameter:	14mm
Pitch:	1.5
mm:	29
Usable Length (mm):	27.94
Usable Length ("):	1.1



**Lug Nut, 60 Seat - Closed End**



Part#:	09.23.517 
Hex Size:	19mm
Diameter:	12mm
Pitch:	1.75
mm:	28
Usable Length (mm):	27.94
Usable Length ("):	1.1

**Lug Nut, 60 Seat - Closed End**



Part#:	09.23.518
Hex Size:	19mm
Diameter:	14mm
Pitch:	1.5
mm:	28
Usable Length (mm):	27.94
Usable Length ("):	1.1

**Flex Bolt, 60 Seat**



Part#:	09.23.556
Hex Size:	17mm
Diameter:	12mm
Pitch:	1.5
mm:	31
Usable Length (mm):	30.48
Usable Length ("):	1.2

**Lug Nut, 60 Seat w/ 8mm shank**



Part#:	09.53.007
Hex Size:	19mm
Diameter:	12mm
Pitch:	1.5
mm:	33
Usable Length (mm):	34
Usable Length ("):	1.3

**Lug Nut, 12mm shank w/washer**



Part#:	56.23.000
Hex Size:	21mm
Diameter:	12mm
Pitch:	1.5
mm:	32
Usable Length (mm):	33.02
Usable Length ("):	1.3

**Lug Nut, 60 Seat - Open End**



Part#:	56.23.012
Hex Size:	21mm
Diameter:	12mm
Pitch:	1.25
mm:	25
Usable Length (mm):	25.4
Usable Length ("):	1

**Lug Nut, 60 Seat - Open End**



Part#:	56.23.013
Hex Size:	21mm
Diameter:	12mm
Pitch:	1.5
mm:	25
Usable Length (mm):	25.4
Usable Length ("):	1

**Lug Nut, 60 Seat - Closed End, Black**



Part#:	56.23.020
Hex Size:	21mm
Diameter:	12mm
Pitch:	1.5
mm:	29
Usable Length (mm):	27.94
Usable Length ("):	1.1



**PFS Ring 09.23.404**



Part#:	09.23.404
Description:	PFS Ring, Yellow, OD 70mm, ID 54mm
Remarks:	

**PFS Ring 09.23.405**



Part#:	09.23.405
Description:	PFS Ring, Light Red, OD 70mm, ID 56mm
Remarks:	

**PFS Ring 09.23.406**



Part#:	09.23.406
Description:	PFS Ring, Black, OD 70mm, ID 56.5mm
Remarks:	

**PFS Ring 09.23.407**




Part#:	09.23.407
Description:	PFS Ring, Blue, OD 70mm, ID 59mm
Remarks:	



**PFS Ring 09.23.411**



Part#:	09.23.411 
Description:	PFS Ring, Dark Green, OD 70mm, ID 57mm
Remarks:	

**PFS Ring 09.23.412**



Part#:	09.23.412
Description:	PFS Ring, Yellow, OD 82mm, ID 60mm
Remarks:	

**PFS Ring 09.23.413**



Part#:	09.23.413
Description:	PFS Ring, Light Blue, OD 82mm, ID 66mm
Remarks:	

**PFS Ring 09.23.414**



Part#:	09.23.414
Description:	PFS Ring, Grey, OD 82mm, ID 67mm
Remarks:	





**PFS Ring 09.23.420**



Part#:	09.23.420
Description:	PFS Ring, Red, OD 82mm, ID 70mm
Remarks:	

**PFS Ring 09.23.421**



Part#:	09.23.421
Description:	PFS Ring, Orange, OD 82mm, ID 71.4mm
Remarks:	

**PFS Ring 09.23.433**



Part#:	09.23.433
Description:	PFS Ring, Light Bronze, OD 82mm, ID 64mm
Remarks:	

**PFS Ring 09.23.443**



Part#:	09.23.443
Description:	PFS Ring, Violet, OD 82mm, ID 59.5mm
Remarks:	




**PFS Ring 09.23.444**



Part#:	09.23.444
Description:	PFS Ring, Black, OD 82mm, ID 66.5mm
Remarks:	

**PFS Ring 09.23.445**




Part#:	09.23.445 
Description:	PFS Ring, Dark Green, OD 82mm, ID 57mm
Remarks:	

**PFS Ring 09.23.455**



Part#:	09.23.455
Description:	PFS Ring, Light Bronze, OD 70mm, ID 63.3mm
Remarks:	

**PFS Ring 09.23.456**



Part#:	09.23.456
Description:	PFS Ring, Turquoise, OD 70mm, ID 65mm
Remarks:	



**PFS Ring 09.23.462**



Part#:	09.23.462
Description:	PFS Ring, Silver OD 82mm, ID 70.7mm
Remarks:	

**PFS Ring 09.23.490**



Part#:	09.23.490
Description:	PFS Ring, Bright Green, OD 82mm, ID 72.5mm
Remarks:	

**PFS Ring 09.23.491**



Part#:	09.23.491
Description:	PFS Ring, Light Blue, OD 82mm, ID 74mm
Remarks:	

**PFS Ring 09.23.558**



Part#:	09.23.558
Description:	PFS Ring, Silver OD 82mm, ID 65mm
Remarks:	

**Valve 09.15.003**



Part#:	09.15.003
Description:	Valve, Rubber
Remarks:	Standard rubber stem (TR413) with metal cap

**Valve 09.15.004**



Part#:	09.15.004
Description:	Valve, Steel
Remarks:	11.3 mm Stem (Standard valve hole opening)

**Valve 09.15.007**



Part#:	09.15.007
Description:	Valve, Aluminium
Remarks:	Special "TRX" stem. This was only used with metric size wheels for Michelin TRX tires.

**Valve 09.15.036**



Part#:	09.15.036
Description:	Valve, Steel
Remarks:	8mm Stem



**Valve Cap 09.15.041**



Part#:	09.15.041
Description:	Valve Cap, Steel
Remarks:	

**Valve Cap 09.15.063**



Part#:	09.15.063
Description:	Valve Cap for Valve 09.15.064
Remarks:	Sleeve style cap with BBS logo. Fits BBS 09.15.003 (TR413) rubber valve stem.

**Valve 09.15.064**



Part#:	09.15.064
Description:	Valve Stem, Complete
Remarks:	BBS Rubber stem (09.15.003) with the Sleeve Valve Cap

**Valve 09.15.071**

Sorry,  
no Picture  
available!

Part#:	09.15.071
Description:	RS II Valve W/Out Cap
Remarks:	





**Valve 09.15.072**



Part#:	09.15.072
Description:	RS II Valve Adapter
Remarks:	

**Valve Cap 09.15.073**



Part#:	09.15.073
Description:	RS II Valve Cap
Remarks:	

**Valve 09.15.088**



Part#:	09.15.088
Description:	TPMS Sensor Adapter for BERU System
Application:	Special length base designed to properly fit the BERU transmitter to the wheel. Consult the BBS application guide for the proper applications.

**Valve 09.15.090**



Part#:	09.15.090
Description:	TPMS Sensor Adapter for BERU System
Application:	Special length base designed to properly fit the BERU transmitter to the wheel. Consult the BBS application guide for the proper applications.



**Valve 09.15.091**



Part#:	09.15.091
Description:	TPMS Sensor Adapter for BERU System
Application:	Special length base designed to properly fit the BERU transmitter to the wheel. Consult the BBS application guide for the proper applications.

**Valve 09.15.094**



Part#:	09.15.094
Description:	TPMS Sensor Adapter for BERU System
Remarks:	This Adapter allows the BERU TPMS to fit wheels that use the 8mm dia stem part # 09.15.036

**Photo showing ALL available BERU TPMS adapters**





**Valve 56.15.001**



Part#:	56.15.001
Description:	Valve, Steel, Type MVC12A
Remarks:	

**Valve 56.15.002**



Part#:	56.15.002
Description:	Valve, Steel, Type SC-5A
Remarks:	

**Valve 56.15.006**



Part#:	56.15.006
Description:	Valve, Steel
Remarks:	

**Spacer 09.50.108**



Part#:	09.50.108
Description:	Spacer, 10x135 - 4x100
Remarks:	BMW E30 3-series spacer, fits into PFS opening. Center bore is 57mm.

**Spacer 09.50.109**



Part#:	09.50.109
Description:	Spacer, 18x153 - 5x120
Remarks:	BMW spacer, fits into 72.5mm opening and fits onto hubs that are 72.5mm. Popular for E30M3 and E28 applications

**Spacer 09.50.112**



Part#:	09.50.112
Description:	Spacer, 12x150 - 5x114.3
Remarks:	Must be installed by BBS of America. This spacer is not sold separately.



**Spacer 09.50.114**



Part#:	09.50.114
Description:	Spacer, 12x150 - 5x114.3
Remarks:	Must be installed by BBS of America. This spacer is not sold separately.



**Spacer 09.50.120**



Part#:	09.50.120
Description:	Spacer, 12x150 - 5x114.3
Remarks:	Must be installed by BBS of America. This spacer is not sold seperately.



**Spacer 09.50.128**



Part#:	09.50.128
Description:	Spacer, 12x150 - 5x114.3
Remarks:	Must be installed by BBS of America. This spacer is not sold seperately.

**Spacer 09.50.132**



Part#:	09.50.132
Description:	Spacer, 12x141 - 5x112 (W126)
Remarks:	Mercedes spacer that fits into PFS opening.

**Spacer 09.50.228**




Part#:	09.50.228
Description:	Spacer, 10x152 - 5x120
Remarks:	BMW spacer that fits into PFS opening. Center bore is 72.5mm (Does not fit E39 5-series cars)





**BBS Wrench 09.23.144**



Part#:	09.23.144 
Description:	Center Assembly Wrench
Remarks:	

**BBS Wrench 09.24.205**



Part#:	09.24.205
Description:	BBS Wrench
Remarks:	

**BBS Wrench 59.23.009**



Part#:	59.23.009
Description:	Center Assembly Wrench
Remarks:	Fits the RSII and RC Nuts

**BBS Wrench 89.10.025**



Part#:	89.10.025
Description:	BBS Wrench
Remarks:	Fits the RSII and RC Nuts