

ExtremeContact™ DWS



50000 MILE LIMITED TREADWEAR WARRANTY

60 DAY FREE TRIAL
visit www.continentaltire.com for more info

TUNED FOR ULTRA-HIGH PERFORMANCE ALL-SEASON DRIVERS SEEKING EXTREME GRIP IN DRY, WET AND SNOW CONDITIONS.

ExtremeContact™ DWS

FEATURES:

- Solid outer shoulder and chamfered tread blocks
- High Void-to-Tread ratio with enhanced groove curvature
- Traction grooves and increased pattern edges
- Dynamic Temperature Distribution
- Tuned Performance Indicators

BENEFITS:

- Enhanced performance in dry conditions
- Improved water evacuation for outstanding wet handling
- Improved snow performance
- Reduced distortion for enhanced energy delivery, lower rolling resistance and improved treadlife
- Consumer friendly indicators alert drivers to tire's performance level in Dry, Wet, and Snow conditions

UTQG:	TREAD:	TRACTION:	TEMPERATURE:
ALL SIZES	540	A	A

ENGAGE
360 ONLINE TRAINING CENTER

Training module on ExtremeContact™ DWS

Continental 
TIRE

CONTINENTALTIRE.COM

	RIM DIAMETER	SERIES	SIZE	LOAD / SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	TIRE DIAMETER (in)	TIRE WEIGHT (KG)	TIRE WEIGHT (LBS)	MAX. INFLATION PRESSURE (PSI)	OVERALL SECTION WIDTH (in) (MEASURING RIM)	APPROVED RIM WIDTHS (in)	MAX LOAD (KG)	MAX LOAD (LBS)	TREAD DEPTH (in - 32nds)	REVS PER MILE
16	55	205/55ZR16	91W	SL	BSW	15461960000	24.9	8.6	19.1	44	8.4 (6.5)	5.5 - 7.5	615	1356	10/32	831	
		215/55ZR16	93W	SL	BSW	15462960000	25.3	9.0	19.9	51	8.9 (7.0)	6.0 - 7.5	650	1433	10/32	824	
		225/55ZR16	95W	SL	BSW	15462990000	25.7	9.4	20.7	51	9.2 (7.0)	6.0 - 8.0	690	1521	10/32	811	
	50	195/50ZR16	84W	SL	BSW	15459990000	23.7	7.4	16.2	51	8.5 (6.0)	5.5 - 7.0	500	1102	10/32	864	
		205/50ZR16	87W	SL	BSW	15460990000	24.1	8.2	18.1	51	8.4 (6.5)	5.5 - 7.5	545	1202	10/32	853	
		225/50ZR16	92W	SL	BSW	15462980000	24.9	9.1	20.0	51	9.2 (7.0)	6.0 - 8.0	630	1389	10/32	831	
45	205/45ZR16	83W	SL	BSW	15460960000	23.3	7.7	17.1	51	8.1 (7.0)	6.5 - 7.5	487	1074	10/32	876		
17	55	215/55ZR17	94W	SL	BSW	15467990000	26.3	9.1	20.1	51	9.2 (7.0)	6.0 - 8.0	670	1477	10/32	793	
		235/55ZR17	99W	SL	BSW	15470990000	27.2	11.2	24.6	51	9.6 (7.5)	6.5 - 8.5	775	1709	10/32	767	
		205/50ZR17	93W	XL	BSW	15465990000	25.1	8.8	19.5	51	8.5 (6.5)	5.5 - 7.5	650	1433	10/32	825	
	50	215/50ZR17	95W	XL	BSW	15467980000	25.5	9.3	20.5	51	8.9 (7.0)	6.0 - 7.5	690	1521	10/32	818	
		225/50ZR17	94W	SL	BSW	15469960000	25.9	9.6	21.2	51	9.2 (7.0)	6.0 - 8.0	670	1477	10/32	805	
		235/50ZR17	96W	SL	BSW	15470980000	26.3	10.0	22.0	51	9.7 (7.5)	6.5 - 8.5	710	1565	10/32	793	
		245/50ZR17	99W	SL	BSW	15469990000	26.3	10.9	24.0	51	9.7 (7.5)	6.5 - 8.5	775	1709	10/32	793	
		205/45ZR17	88W	XL	BSW	15464990000	24.3	8.2	18.1	51	8.4 (7.0)	6.5 - 7.5	560	1235	10/32	848	
		215/45ZR17	91W	XL	BSW	15466980000	24.6	8.8	19.4	51	8.5 (7.0)	7.0 - 8.0	615	1356	11/32	839	
	45	225/45ZR17	91W	SL	BSW	15468980000	25.0	9.0	19.8	51	8.9 (7.5)	7.0 - 8.0	615	1356	10/32	828	
		235/45ZR17	94W	SL	BSW	15470960000	25.3	9.7	21.5	51	9.3 (8.0)	7.5 - 9.0	670	1477	11/32	824	
		245/45ZR17	95W	SL	BSW	15471180000	25.7	10.2	22.4	51	9.6 (8.0)	7.0 - 9.0	690	1521	11/32	811	
		255/45ZR17	98W	SL	BSW	15470170000	26.0	10.8	23.9	51	10.2 (8.5)	8.0 - 9.5	750	1654	10/32	802	
		245/40ZR17	91W	SL	BSW	15471170000	24.7	9.7	21.5	51	9.8 (8.5)	8.0 - 9.5	615	1356	10/32	836	
		255/40ZR17	94W	SL	BSW	15471190000	25.0	10.0	22.2	51	10.2 (9.0)	8.5 - 10.0	670	1477	10/32	828	
40	275/40ZR17	98W	SL	BSW	15471200000	25.7	11.1	24.5	51	10.9 (9.5)	9.0 - 11.0	750	1654	10/32	811		
18	55	235/55ZR18	100W	SL	BSW	15473980000	28.2	11.9	26.2	51	9.6 (7.5)	6.5 - 8.5	800	1764	10/32	739	
	50	235/50ZR18	97W	SL	BSW	15473960000	27.3	10.6	23.4	51	9.6 (8.0)	6.5 - 8.5	730	1609	10/32	764	
	45	215/45ZR18	93Y	XL	BSW	15475990000	25.6	8.7	19.3	51	8.4 (7.0)	7.0 - 8.0	650	1433	10/32	814	
		225/45ZR18	91Y	SL	BSW	15472980000	26.0	9.8	21.5	51	8.9 (7.5)	7.0 - 8.5	615	1356	11/32	802	
		235/45ZR18	98Y	XL	BSW	15475980000	26.3	9.7	21.5	51	9.3 (8.0)	7.5 - 9.0	750	1654	10/32	793	
		245/45ZR18	96Y	SL	BSW	15476970000	26.7	10.6	23.3	51	9.6 (8.0)	7.5 - 9.0	710	1565	11/32	781	
		255/45ZR18	103Y	XL	BSW	15476980000	27.0	11.3	24.8	51	10.0 (8.5)	8.0 - 9.5	875	1929	11/32	772	
		215/40ZR18	89Y	XL	BSW	15471990000	24.8	8.2	18.2	51	8.6 (7.5)	7.0 - 8.5	580	1279	10/32	834	
	40	225/40ZR18	92Y	XL	BSW	15472960000	25.1	9.3	20.5	51	9.0 (8.0)	7.5 - 9.0	630	1389	10/32	825	
		235/40ZR18	91Y	SL	BSW	15472990000	25.4	9.8	21.6	51	9.5 (8.5)	8.0 - 9.5	615	1356	10/32	821	
		245/40ZR18	93Y	SL	BSW	15473990000	25.7	10.1	22.2	51	9.8 (8.5)	8.0 - 9.5	650	1433	10/32	811	
		255/40ZR18	99Y	XL	BSW	15474980000	26.0	11.2	24.7	51	10.2 (9.0)	8.5 - 10.0	775	1709	10/32	802	
		265/40ZR18	101Y	XL	BSW	15474990000	26.3	12.1	26.7	51	11.2 (9.5)	9.0 - 10.5	825	1819	10/32	793	
		275/40ZR18	99Y	SL	BSW	15477970000	26.7	11.5	25.3	51	10.9 (9.5)	9.0 - 11.0	775	1709	10/32	781	
	35	215/35ZR18	84Y	XL	BSW	15471960000	23.9	8.3	18.4	51	8.6 (7.5)	7.0 - 8.0	500	1102	10/32	859	
		235/35ZR18	86Y	SL	BSW	15459710000	24.5	9.3	20.6	51	9.5 (8.5)	8.0 - 9.5	530	1169	10/32	848	
		255/35ZR18	90Y	SL	BSW	15471980000	25.0	10.1	22.2	51	10.0 (9.0)	8.5 - 10.0	600	1323	10/32	828	
		265/35ZR18	97Y	XL	BSW	15476990000	25.3	10.6	23.4	51	10.7 (9.5)	9.0 - 10.5	730	1609	10/32	824	
275/35ZR18		95Y	SL	BSW	15477950000	25.6	11.2	24.8	51	11.2 (9.5)	9.0 - 11.0	690	1521	10/32	814		
285/35ZR18		101Y	XL	BSW	15477990000	25.9	12.2	27.0	51	11.4 (10.0)	9.5 - 11.0	825	1819	10/32	805		
295/35ZR18	99Y	SL	BSW	15478930000	26.1	11.6	25.7	51	12.0 (10.5)	10.0 - 11.0	775	1709	10/32	799			

Continued on next page

RIM DIAMETER	SERIES	SIZE	LOAD / SPEED INDEX	LOAD RANGE	SIDEWALL	ARTICLE NUMBER	TIRE DIAMETER (in)	TIRE WEIGHT (KG)	TIRE WEIGHT (LBS)	MAX. INFLATION PRESSURE (PSI)	OVERALL SECTION WIDTH (MEASURING RIM) (in)	APPROVED RIM WIDTHS (in)	MAX LOAD (KG)	MAX LOAD (LBS)	TREAD DEPTH (in - 32nds)	REVS PER MILE
--------------	--------	------	--------------------	------------	----------	----------------	--------------------	------------------	-------------------	-------------------------------	--	--------------------------	---------------	----------------	--------------------------	---------------

ExtremeContact DWS - Continued

18	30	285/30ZR18	93Y	SL	BSW	15477980000	24.7	10.6	23.3	51	11.5 (10.0)	9.5 - 10.5	650	1433	10/32	836
19	50	255/50ZR19	107W	XL	BSW	15458980000	29.0	13.2	29.0	51	10.4 (8.0)	7.0 - 9.0	975	2150	10/32	719
	45	245/45ZR19	98Y	SL	BSW	15463960000	27.7	11.1	24.5	51	9.6 (8.0)	7.5 - 9.0	750	1654	10/32	753
	40	225/40ZR19	93Y	XL	BSW	15468990000	26.1	9.7	21.3	51	9.1 (8.0)	7.5 - 9.0	580	1279	10/32	799
		245/40ZR19	94Y	SL	BSW	15461980000	26.7	10.5	23.1	51	9.8 (8.5)	8.0 - 9.5	670	1477	10/32	781
		275/40ZR19	101Y	SL	BSW	15459980000	27.7	13.0	28.6	51	11.1 (9.5)	9.0 - 11.0	825	1819	10/32	753
	35	215/35ZR19	85Y	XL	BSW	15478940000	24.9	8.6	18.9	51	8.6 (7.5)	7.0 - 8.0	515	1135	10/32	831
		225/35ZR19	88Y	XL	BSW	15478950000	25.2	9.4	20.8	51	9.1 (8.0)	7.5 - 9.0	560	1235	10/32	827
		235/35ZR19	91Y	XL	BSW	15478960000	25.5	9.7	21.4	51	9.5 (8.5)	8.0 - 9.5	615	1356	10/32	818
		245/35ZR19	93Y	XL	BSW	15478970000	25.8	9.4	20.8	51	9.8 (8.5)	8.0 - 9.9	650	1433	10/32	808
		255/35ZR19	96Y	XL	BSW	15478980000	26.0	11.0	24.3	51	10.3 (9.0)	8.5 - 10.0	710	1565	10/32	802
		275/35ZR19	100Y	XL	BSW	15481090000	26.6	12.7	28.0	51	10.5 (9.5)	9.0 - 11.0	800	1764	10/32	784
	30	285/35ZR19	99Y	SL	BSW	15479490000	26.9	12.6	27.8	51	11.4 (10.0)	9.0 - 11.0	775	1709	10/32	775
		265/30ZR19	93Y	XL	BSW	15478990000	25.3	9.9	21.9	51	10.7 (9.5)	9.0 - 10.0	650	1433	10/32	824
		275/30ZR19	96Y	XL	BSW	15479090000	25.5	10.9	24.0	51	10.9 (9.5)	9.0 - 10.0	710	1565	10/32	818
		285/30ZR19	98Y	XL	BSW	15481170000	25.7	11.1	24.6	51	11.4 (10.0)	9.5 - 10.5	750	1654	10/32	811
		295/30ZR19	100Y	XL	BSW	15479790000	26.0	12.2	26.9	51	12.2 (10.5)	10.0 - 11.0	800	1764	10/32	802
20	45	245/45ZR20	99W	SL	BSW	15479880000	28.7	11.4	25.1	51	9.6 (8.0)	7.5 - 9.0	775	1709	10/32	726
		255/45ZR20	105W	XL	BSW	15480680000	29.0	12.5	27.5	51	10.0 (8.5)	8.0 - 9.5	925	2039	10/32	719
	40	245/40ZR20	99Y	XL	BSW	15479870000	27.7	11.7	25.9	51	9.8 (8.5)	8.0 - 9.5	775	1709	10/32	753
		275/40ZR20	106W	XL	BSW	15459960000	28.7	14.3	31.6	51	10.9 (9.5)	9.0 - 10.5	950	2094	10/32	726
		295/40ZR20	110W	XL	BSW	15481130000	29.3	15.3	33.7	51	11.9 (10.5)	10.0 - 11.5	1060	2337	10/32	712
	35	225/35ZR20	90Y	XL	BSW	15479820000	26.2	9.3	20.5	51	9.1 (8.0)	7.5 - 9.0	600	1323	10/32	796
		245/35ZR20	95Y	XL	BSW	15479860000	26.8	10.5	23.2	51	9.6 (8.5)	8.0 - 9.5	690	1521	10/32	778
		255/35ZR20	97Y	XL	BSW	15479890000	27.0	11.2	24.6	51	10.2 (9.0)	8.0 - 10.0	730	1609	10/32	772
		265/35ZR20	99Y	XL	BSW	15479910000	27.3	11.6	25.5	51	10.7 (9.5)	9.0 - 10.5	775	1709	10/32	764
	30	275/35ZR20	102Y	XL	BSW	15479930000	27.6	12.2	27.0	51	11.0 (9.5)	9.0 - 11.0	850	1874	10/32	755
		225/30ZR20	85Y	XL	BSW	15479830000	25.3	9.0	19.8	51	9.0 (8.0)	7.5 - 9.0	515	1135	10/32	824
		235/30ZR20	88Y	XL	BSW	15479840000	25.6	9.5	20.9	51	9.8 (8.5)	8.0 - 9.0	560	1235	10/32	814
		245/30ZR20	90Y	XL	BSW	15479940000	25.8	10.2	22.5	51	9.8 (8.5)	8.0 - 9.0	600	1323	10/32	808
		265/30ZR20	94Y	XL	BSW	15479900000	26.3	10.4	23.0	51	10.7 (9.5)	9.0 - 10.0	670	1477	10/32	793
275/30ZR20		97Y	XL	BSW	15479920000	26.5	11.4	25.1	51	10.4 (9.5)	9.0 - 10.0	730	1609	10/32	787	
	285/30ZR20	99Y	XL	BSW	15479950000	26.7	11.8	26.0	51	11.4 (10.0)	9.5 - 10.5	775	1709	10/32	781	
22	35	255/35ZR22	99Y	XL	BSW	15479990000	29.0	13.3	29.3	51	10.2 (9.0)	8.5 - 10.0	775	1709	10/32	716
	30	235/30ZR22	90Y	XL	BSW	15479960000	27.6	10.4	23.0	51	9.5 (8.5)	8.5 only	600	1323	10/32	753
		245/30ZR22	92Y	XL	BSW	15479970000	27.8	10.4	23.0	51	9.7 (8.5)	8.0 - 9.0	630	1389	10/32	750
		265/30ZR22	97Y	XL	BSW	15480280000	28.3	12.0	26.5	51	10.4 (9.5)	9.0 - 10.0	730	1609	10/32	737
	25	295/25ZR22	97Y	XL	BSW	15481150000	27.8	12.5	27.6	51	11.6 (10.5)	10.0 - 11.0	730	1609	10/32	750
24	30	255/30ZR24	97W	XL	BSW	15481180000	30.0	11.7	25.9	51	10.2 (9.0)	8.5 - 9.5	730	1609	10/32	695

*ZR Tires have no official service description. Please contact customer service for questions concerning load and speed capabilities. The Load Index mentioned in the table should be used as a reference only.